

© 2013 Pearson Education, Inc. or its affiliate(s). All rights reserved.

Enter thickness for per-inch materials, or leave thickness blank and enter a fixed R in column C.

Layer	Thickness (in)	R per inch or fixed R	Layer R
Inside air film		0.68	0.68
Drywall ½"	0.5	0.9	0.45
Fiberglass batt	3.5	3.2	11.2
OSB 7/16"	0.438	1.25	0.547
Vinyl siding		0.61	0.61
Outside air film		0.17	0.17
Total			13.66

U-factor	0.073
RSI (m ² ·K/W)	2.4

Notes